

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

# Ataxin-2

- 120 kD cytoplasmic protein
- orthologs in various species



# Body Weight






FIGURE 2

# Body weight for the three genotypes with *ad lib* diet




Postnatal Age:  
12.7 weeks


Background:

62.5%C57BL/6J/37.5%129X1/SvJ

# Average Daily Food Intake for the three Genotypes under *ad lib* Conditions




# Body weight for the three genotypes with restricted diet (4g per day)



Postnatal Age:  
10.7 weeks

week

# Average Daily Food Intake for the three Genotypes under restricted Conditions (4g/day)



# Weight Gain for Male Mice:

Ad lib  $-/-$  and  $+/-$  mice are heavier than Wt

